


LISTING OF THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claims 1-14 (Canceled).


15. (Previously Presented) A method for treating columnar epithelial inflammation in a subject comprising, administering to a subject an effective amount of a lipoxin A₄ compound, wherein the lipoxin compound is an analog of natural lipoxin A₄, and wherein the analog of natural lipoxin A₄ has a longer half-life than natural lipoxin A₄.

16. (Previously Presented) The method of claim 15, wherein the lipoxin analog is



where R' is H or CH₃.


17. (Previously Presented) The method of claim 15, wherein the lipoxin analog is



where R' is H or CH₃.

18. (Previously Presented)
analog is


The method of claim 15, wherein the lipoxin



where R' is H or CH₃.

19. (Previously Presented)
analog is


The method of claim 15, wherein the lipoxin



where R' is H or CH₃.


20. (Previously Presented)
analog is

The method of claim 15, wherein the lipoxin




where R' is H or CH₃.

21. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

22. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

23. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

24. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

25. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

26. (Previously Presented) The method of claim 15, wherein the lipoxin analog is



where R' is H or CH₃.

27. (Previously Presented) The method of claim 15, wherein the lipoxin analog is



where R' is H or CH₃.

Claim 28 (Canceled).